

## PSEN me5M NC.NC-NC-NC 1switch

6L000013



Mechanical safety gate system PSENmech, interlock principle magneticforce, contacts interlocking 1 N/C, contacts guard locking 3 N/C, supplyvoltage 24 V AC/DC.

## Technical details

### General data

|                                 |                          |
|---------------------------------|--------------------------|
| Approval:                       | CSA, CE, CCC, UKCA, DGUV |
| Suitable for series connection: | yes                      |
| unit type:                      | Sensor                   |

### Technical data

#### Electrical data

|                            |        |
|----------------------------|--------|
| Supply voltage (V):        | 24, 24 |
| Type of supply voltage U1: | AC/DC  |

#### Relay outputs

|                                 |              |
|---------------------------------|--------------|
| Utilisation cat. AC15/DC13sta.: | EN 60947-5-1 |
| Voltage AC15 safety cont.:      | 240          |
| Max. current AC15 safety cont.: | 1.5          |
| Voltage DC13 safety cont.:      | 250          |

### Environmental data

|                       |         |
|-----------------------|---------|
| Ambient temperature:  | -25, 55 |
| Overvoltage category: | II      |

### Mechanical data

|                   |      |
|-------------------|------|
| Holding force:    | 1500 |
| Height dimension: | 192  |
| Width dimension:  | 42   |

|                                |                              |
|--------------------------------|------------------------------|
| Depth dimension:               | 44                           |
| Net weight:                    | 489                          |
| Gross weight:                  | 541                          |
| Environment                    |                              |
| RoHS directive:                | 2011/65/EU, 2015/863/EU      |
| RoHS conformity:               | yes                          |
| RoHS exceptions:               | no                           |
| REACH compliance:              | Contains no SVHC substances  |
| WEEE classification (08/2018): | 5 devices (feed size < 50cm) |
| Commercial data                |                              |
| Harmonized System Code:        | 85365080                     |
| UNSPSC 25:                     | 39122205                     |
| EAN-Code:                      | 4046548101423                |
| ECLASS version:                | ECLASS-13                    |
| ECLASS Reference Feature:      | 27272603                     |
| ETIM Version:                  | ETIM-9.0                     |
| ETIM Reference Group:          | EG000026                     |
| ETIM Reference Feature:        | EC002593                     |
| Volume:                        | 1.258                        |

## Optional accessories



6L000006

PSEN me5 20mm extension



6L000007

PSEN me5 40mm extension



6L000008

PSEN me5 emergency release front



6L000009

PSEN me5 emergency release back



6L000005

PSEN me5 escape release



570793

PSEN cable 200m-8x0.25mm<sup>2</sup>